

Viscosupplementation: What is the evidence for hyaluronic acid intra-articular injections?

BOTTOM LINE: There is a lack of quality evidence to support or refute the use of HA intra-articular injections in the treatment of osteoarthritis. While most organizations do not recommend the routine use of injectable hyaluronic acid, it is an option for patients not obtaining relief from first line therapies. Similarly there is insufficient evidence on the safety and efficacy differences among products to support the use of a particular molecular weight formulation or a particular hyaluronic acid product. There is however, evidence to suggest that the number of hyaluronic acid injections impacts potential efficacy and safety with 2-4 weekly injections being superior to single injection or 5+ injections²⁰. Selection of an appropriate product should be based on individual patient characteristics and needs. (See Comparison Chart below)

Classification of hyaluronic acid:

- Hyaluronic acid is a polysaccharide consisting of repeating molecules of β -D-glucuronic acid and β -D-N-acetylglucosamine, with molecular mass ranging from 6500 to 10,900kDa¹. Hyaluronate occurs naturally in cartilage and synovial fluid². Injectable hyaluronic acid products are derived from avian sources (rooster combs) or bacterial fermentation.

Use/Place in Therapy:

- Hyaluronate intra-articular injection is used to provide intra-articular lubrication and may have anti-inflammatory, analgesic and chondroprotective effects on articular cartilage and joint synovium^{1,2}.
- All products are SK non-formulary
- NIHB provides exception listing status for the following criteria: OA of the knee when other treatments failed. Other joints not considered for approval²¹.

Indication:

- Conditionally recommended by American College of Rheumatology (ACR) in cases of mild to moderate OA, in those who experience inadequate pain relief with first-line therapies⁴.
- Osteoarthritis Research Society International (OARSI), the American Academy of Orthopaedic Surgeons (AAOS), and the National Institute for Health and Care Excellence (NICE) do not recommend hyaluronic acid injections for osteoarthritis due to uncertain appropriateness and lack of evidence supporting use^{8,9,22}.

Drug Interactions (DI)⁵:

- No DI's found with drugs, food, tobacco, ethanol

Adverse Events (AE)⁵:

Adverse events are primarily mild and of short duration with the most common including:

- arthralgia^{12.6%}
- injection site pain^{2.5%}
- injection site reaction^{0.2%}

Administration:

- for intra-articular injection only
- hyaluronan can precipitate in the presence of quaternary ammonium salts (ie benzalkonium)
- do not inject if presence of skin/joint infection or effusion at injection site
- optimal safety and efficacy suggested to result from 2-4 weekly injections with a single injection being less efficacious and 5+ injections increasing the risk of adverse events without a corresponding increase in potential efficacy²⁰

Warnings/Contraindication (CI)^{5,6,7}:

- contraindicated if hypersensitivity to hyaluronate or any component of formulation
- preparations containing avian sources may increase risk of immunogenicity
- knee/joint infections
- history of anaphylaxis
- hypersensitivity to gram positive bacterial proteins
- safety not studied in pregnancy/lactation/children
- Hylan G-F 20 preparation (Synvisc®) – cases of acute calcium pyrophosphate crystal arthritis (pseudogout) have occurred two or three days after hyaluronate injection ⁷
- Monovisc CI if systemic bleeding disorders¹¹

Viscosupplementation: Hyaluronic Acid Intra-articular Injections Comparison Chart

Trade name	Drug	Indication	Dose	Cost (wholesale)	Comments
Neovisc ¹⁰	Sodium hyaluronate	OA Knee	-Single (60mg/2ml) -Multi (20mg/2ml)* *3-5 injections	\$376 (6ml) \$300 (2mlx3)	Linear High MW* Non-avian
Monovisc ¹¹	Sodium hyaluronate	OA Knee	-80mg/4ml	\$335 (4ml)	Cross linked High MW Non-avian CI if systemic bleeding disorders
Cingal ¹²	Hyaluronic acid/ triamcinolone hexacetonide	OA Knee	-88mgHA+ 18mgTH/4ml	\$415 (4ml)	Cross-linked High MW non-avian
Orthovisc ^{13,14}	Sodium hyaluronate	OA Knee	Depends upon joint space. Max 30mg/2ml for knee (1 injection weekly for 3 weeks)	\$323 (2mlx3)	Linear High MW Avian
Synvisc ^{14,15} Synvisc-One ¹⁶	Hylan-G-F20	OA Knee, Hip, Ankle, Shoulder	Knee OA -16mg/2ml (1 injection weekly for 3 weeks) Hip, ankle, shoulder -16mg/2ml single injection (2 nd injection in 1-3 months if inadequate relief) Synvisc-one -48mg/6ml single injection	\$136 (2ml) \$407 (2mlx3) \$414 (6ml)	Mix of cross-linked and linear High MW Avian Contains hylan A&B CI if venous or lymphatic stasis #MAX 6 injections in 6 months with 4 weeks in between treatment regimens)
Durolane ^{17,18}	1% Hyaluronic acid	OA knee, hip, ankle, fingers, toes. Post arthroscopy pain (within 3 months) if OA present	-20mg/1ml suitable for finger/toes -1-2ml *ankle -60mg/3ml *hip, knee, ankle	\$150 (1ml) \$405 (3ml)	High MW Non-avian Re-injections may occur every 6 months (not studied with shorter interval)
Euflexxa ¹⁹	Sodium hyaluronate	OA Knee	-20mg/2ml (1 injection weekly for 3 weeks)	\$341 (2mlx3)	Linear High MW Non-avian Safety of repeat cycles established up to a year
Suplasyn	Manufacturer uncertain that this product existed.	Unable to provide a product monograph or package insert.	NA	NA	NA

*molecular weight

use in various joints

contains glucocorticoid

produced from avian sources

unique contraindications

References

1. Hunter DJ. Viscosupplementation for osteoarthritis of the knee. *N Engl J Med* [Internet]. 2015 [cited 2018 Jan 29]; 372(11):1040-1047. Available from: <http://www.nejm.org/doi/full/10.1056/NEJMct1215534>
2. Buys LM, Wiedenfled, SA. Osteoarthritis. In: DiPiro, JT, Talbert, GCY, Matzke, GR, Wells, BG, Posey, LM, 10e. Weitz, M, Kearns, B, editors. *Pharmacotherapy: a pathophysiologic approach* [Internet]. USA:McGraw-Hill; c2017. [Ch 90]. Available from: <http://accesspharmacy.mhmedical.com/content.aspx?sectionid=133893029&bookid=1861&jumpsectionID=133893222&ResultClick=2#1148578340>
3. DynaMed Plus [Internet]. Ipswich (MA): EBSCO Information Services. 1995 - 2018. Record No. 916957, Injection therapy for osteoarthritis (OA) of the knee; [updated 2017 Dec 15, cited 2017 Jan 25]; [about 24 screens]. Available from <http://www.dynamed.com/login.aspx?direct=true&site=DynaMed&id=916957>. Registration and login required.
4. Hochberg, M.C., Altman, R.D., April, K.T., Benkhalti, M., Guyatt, G., McGowan, J., Towhee, T., Welch, V., Wells, G. and Tugwell, P. American College of Rheumatology recommendations for the use of nonpharmacologic and pharmacologic therapies in osteoarthritis of the hand, hip, and knee. *Arthritis Care Res* [Internet]. 2012 [cited 2018 Jan 29]; 64: 465-474. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/22563589>
5. Truven Health Analytics. DynaMed Plus [Internet]. Ipswich (MA): EBSCO Information Services. 1995 - 2018. Record No. 907740, Hyaluronic Acid; [updated 2016 Jan 20, cited 2018 Jan 25]; [about two screens]. Available from <http://www.dynamed.com/login.aspx?direct=true&site=DynaMed&id=907740>. Registration and login required.
6. Lexi-Comp Online™, Lexi-Drugs Online™, Hudson, Ohio: Lexi-Comp, Inc.; 2017; cited 26 Jan 2018.
7. Deveza L, Bennell, K. Management of knee osteoarthritis. In *UpToDate*, Basow, DS (Ed), Waltham MA, 2017. Cited 26 Jan 2018. Available from www.uptodate.com. Subscription and login required.
8. McAlindon, T.E., Bannuru, R.R., Sullivan, M.C., Arden, N.K., Berenbaum, F., Bierma-Zeinstra, S.M., Hawker, G.A., Henrotin, Y., Hunter, D.J., Kawaguchi, H., Kwoh, K., Lohmander, S., Rannou, R., Roos, E.M., Underwood, M. OARSI guidelines for the non-surgical management of knee osteoarthritis. *Osteoarthritis Cartilage* [Internet]. 2014 [cited 2018 Jan 29]; 22(3):363-88. Available from <https://www.ncbi.nlm.nih.gov/pubmed/24462672>
9. Hauk, L. Treatment of knee osteoarthritis: a clinical practice guideline from the AAOS. *Am Fam Physician* [Internet]. 2014 [cited 2018 Jan 29]; 89(11):918-920. Available from <https://www.aafp.org/afp/2014/0601/p918.html>
10. Neovisc [prescribing information on the Internet]. London, Ont; Tribute Pharmaceuticals, [revised 2013 Apr, cited 2018 Jan 29]. Available from https://www.neovisc.ca/Healthcare_Professionals/Prescribing_Information/en
11. Monovisc [information for professionals on the Internet]. Montreal, Canada; Pharmascience Inc, 2017 [cited 2018 Jan 29]. Available from: <http://www.monovisc.ca/professionals>
12. Cingal Hyaluronic Acid plus Triamcinolone Hexacetonide, Intra-articular [information for prescribers on the Internet]. Essentra, 2016 [cited 2018 Jan 29]. Available from: http://cingal.ca/wp-content/uploads/package_insert_20160223_en.pdf

13. Orthovisc. Anika Therapeutics [cited 2018 Jan 29]. Available from https://www.accessdata.fda.gov/cdrh_docs/pdf3/p030019c.pdf
14. Nicholls M, Manjoo A, Shaw P, Niazi F, Rosen J. Rheological properties of commercially available hyaluronic acid products in the united states for the treatment of osteoarthritis knee pain. Clin Med Insights Arthritis Musculoskelet Disord [Internet]. 2018 [cited 2018 Jan 29]; 11:1179544117751622. Available from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5757428/>
15. SYNVISCO ONE® [information for use on the Internet]. Ridgefield, New Jersey; Sanofi, [revised 2015 Mar; cited 2018 Jan 29]. Available from: <http://products.sanofi.ca/en/synvisc-one.pdf>
16. SYNVISCO® [information for use on the Internet]. Ridgefield, New Jersey: Sanofi, [revised 2014 Dec, cited 2018 Jan 29]. Available from <http://products.sanofi.ca/en/synvisc-information-for-use.pdf>
17. Durolane SJ hyaluronic acid, stabilized single injection [package insert on the Internet]. Bioventus, 2016 [cited 2018 Jan 29]. Available from: https://www.durolane.com/wp-content/uploads/2017/09/Bioventus_DUROLANESJ_1ml_1082018_IFU.pdf
18. Durolane hyaluronic acid, stabilized single injection [package insert on the Internet]. Bioventus, 2016 [cited 2018 Jan 29]. Available from https://www.durolane.com/wp-content/uploads/2017/09/Bioventus_DUROLANE_3ml_1082013_IFU.pdf
19. Euflexxa® 1% sodium hyaluronate [product monograph on the Internet]. Parsippany, NJ: Ferring Pharmaceuticals Inc; [revised 2016 July; cited 2018 Jan 29]. Available from: <http://www.ferringusa.com/wp-content/uploads/2017/01/EuflexxaPI-7.2016.pdf>
20. Concoff A, Sancheti P, Niazi F, et al. The efficacy of multiple versus single hyaluronic acid injections: a systematic review and meta-analysis. BMC Musculoskelet Disord. 2017 Dec 21 [cited 2018 Jan 31]; 18(1):542. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/?term=29268731>
21. Non-Insured Health Benefits (NIHB). Program Listing status and criteria of various analgesic options [Internet]. 2017 [cited 2018 Jan 31]. Available from: https://rheum.ca/images/documents/NIHB_listings_for_pain_April_2017.pdf
22. National Institute for Health and Care Excellence. Osteoarthritis: care and management. Clinical guideline [CG177] [Internet]. 2014 [cited 2018 Feb 2]. Available from: <https://www.nice.org.uk/guidance/cg177/chapter/1-Recommendations#pharmacological-management>