

Moderna

SPIKEVAX™ (≥ 12 years)

mRNA COVID-19 vaccine



SUPPLIED:
multidose
vial



PREPARATION:
ready-to-use;
no reconstitution
required



ADMINISTRATION:
IM injection



**APPROPRIATE
USE:**

- 12 years & older
- **2nd Dose:** authorized interval is at least 28 days from first dose; see QR code for optimal and mixed vaccine interval considerations
- **Additional/booster doses:** specific eligibility criteria, intervals, and doses are available through QR code



**BEYOND-USE
EXPIRY
DATE/TIME:**

- **Unpunctured:**
 - use vials within 30 days when stored between 2°C and 8°C
 - use vials within 24 hours when stored between 8°C and 25°C
- **Punctured:** use vials within 24 hours of first puncture when stored between 2°C and 25°C



HANDLING:

- gently SWIRL before withdrawing each dose



APPEARANCE:

- white to off-white dispersion—may contain white or translucent particles
- NO foreign particulate matter/discolouration



DOSE:

PRIMARY SERIES
0.5 mL (100 mcg mRNA)

BOOSTER DOSE
0.5 mL (100 mcg mRNA) OR
0.25 mL (50 mcg mRNA)

specific eligibility criteria, intervals, and doses
are available through QR code



**VIAL
STORAGE:**

- between 2°C and 25°C for no more than 24 hours after first puncture
- protect from light

REFERENCES:

- Spikevax Product Monograph. ModernaTX, Inc. Distributed by Innomax Strategies, Inc. Oakville ON. L6L 0C4. September 16, 2021. Available from: <https://covid-vaccine.canada.ca/info/pdf/covid-19-vaccine-moderna-pm-en.pdf>

Moderna

SPIKEVAX™ (≥ 12 years)

mRNA COVID-19 vaccine



SUPPLIED:
multidose
vial



PREPARATION:
ready-to-use;
no reconstitution
required



ADMINISTRATION:
IM injection



**APPROPRIATE
USE:**

- 12 years & older
- **2nd Dose:** authorized interval is at least 28 days from first dose; see QR code for optimal and mixed vaccine interval considerations
- **Additional/booster doses:** specific eligibility criteria, intervals, and doses are available through QR code



**BEYOND-USE
EXPIRY
DATE/TIME:**

- **Unpunctured:**
 - use vials within 30 days when stored between 2°C and 8°C
 - use vials within 24 hours when stored between 8°C and 25°C
- **Punctured:** use vials within 24 hours of first puncture when stored between 2°C and 25°C



HANDLING:

- gently SWIRL before withdrawing each dose



APPEARANCE:

- white to off-white dispersion—may contain white or translucent particles
- NO foreign particulate matter/discolouration



DOSE:

PRIMARY SERIES
0.5 mL (100 mcg mRNA)

BOOSTER DOSE
0.5 mL (100 mcg mRNA) OR
0.25 mL (50 mcg mRNA)

specific eligibility criteria, intervals, and doses
are available through QR code



**VIAL
STORAGE:**

- between 2°C and 25°C for no more than 24 hours after first puncture
- protect from light

REFERENCES:

- Spikevax Product Monograph. ModernaTX, Inc. Distributed by Innomax Strategies, Inc. Oakville ON. L6L 0C4. September 16, 2021. Available from: <https://covid-vaccine.canada.ca/info/pdf/covid-19-vaccine-moderna-pm-en.pdf>