Moderna **SPIKEVAX® XBB.1.5**

mRNA COVID-19 vaccine

 \geq 6 months^{\pm}

DIN 02541270

Royal Blue Cap, **Coral Blue Font**



multidose vial; 50 mcg/0.5 mL



ready-to-use DO NOT DILUTE



IM injection



APPROPRIATE USE:

6 months and older*

Eligibility, intervals, and additional considerations: see QR code





· Check date on label (expiry date) and extensions (in VDTS, Panorama, or CQE)

- Unpunctured:
 - 2°C to 8°C: use vaccine within 30 days
 - 8°C to 25°C: permitted exposure up to 24 hours* (not recommended storage)
- Punctured: 2°C to 25°C: use vaccine within 24 hours* of first puncture

* If the vial has been kept out of the fridge, it can be returned but the time kept above 8°C needs to be tracked. Total time the vial is kept above 8°C (punctured or unpunctured) is cumulative and cannot exceed 24 hours.



DO NOT DILUTE

- · Gently SWIRL before withdrawing each dose; do not shake
- Can be handled in room light conditions



APPEARANCE:

- · White to off-white dispersion—may contain white or translucent
- NO foreign particulate matter/discolouration



AGE	DOSE [†]
≥ 6 months to < 5 years [¥]	0.25 mL (25 mcg)
≥ 5 years to < 12 years	0.25 mL (25 mcg)
≥ 12 years	0.5 mL (50 mcg)

[†] Number of doses and intervals vary based on previous vaccination, immune status, and living situation. See OR code for details.

^{*} Pharmacy professionals are not permitted to immunize individuals under 5 years of age.



Spikevax XBB.1.5. Product monograph. Moderna Biopharma Canada Corp; 2023. Accessed September 13, 2023. https://covid-vaccine.canada.ca/info/pdf/spikevax-xbb-1-5-pm-en.pdf



26 SEPT 2023 ©2023 medSask // Townes & Park Designs

Moderna **SPIKEVAX® XBB.1.5**

mRNA COVID-19 vaccine



DIN 02541270

Royal Blue Cap, **Coral Blue Font**



multidose vial: 50 mcg/0.5 mL



ready-to-use DO NOT DILUTE



IM injection



APPROPRIATE USE:

- · 6 months and older*
- Eligibility, intervals, and additional considerations: see QR code



BEYOND-USE **EXPIRY** DATE/TIME:

- · Check date on label (expiry date) and extensions (in VDTS, Panorama, or CQE)
- Unpunctured:
 - 2°C to 8°C: use vaccine within 30 days
 - 8°C to 25°C: permitted exposure up to 24 hours* (not recommended storage)
- Punctured: 2°C to 25°C: use vaccine within 24 hours* of first puncture
- * If the vial has been kept out of the fridge, it can be returned but the time kept above 8°C needs to be tracked. Total time the vial is kept above 8°C (punctured or unpunctured) is cumulative and cannot exceed 24 hours.



- DO NOT DILUTE
- · Gently SWIRL before withdrawing each dose; do not shake
- · Can be handled in room light conditions



APPEARANCE:

- · White to off-white dispersion—may contain white or translucent particles
- NO foreign particulate matter/discolouration



AGE	DOSE [†]
≥ 6 months to < 5 years [¥]	0.25 mL (25 mcg)
≥ 5 years to < 12 years	0.25 mL (25 mcg)
≥ 12 years	0.5 mL (50 mcg)

[†] Number of doses and intervals vary based on previous vaccination, immune status, and living situation. See OR code for details.

^{*} Pharmacy professionals are not permitted to immunize individuals under 5 years of age.



 Spikevax XBB.1.5. Product monograph. Moderna Biopharma Canada Corp; 2023. Accessed September 13, 2023. https://covid-vaccine.canada.ca/info/pdf/spikevax-xbb-1-5-pm-en.pdf



26 SEPT 2023 ©2023 medSask // Townes & Park Designs