

Pfizer-BioNTech

COMIRNATY®

Omicron XBB.1.5

mRNA COVID-19 vaccine

≥ 5 years to < 12 years

DIN 02541858

Blue Cap, Blue Border



SUPPLIED:
multidose vial;
10 mcg/0.3 mL



PREPARATION:
ready-to-use;
DO NOT DILUTE



ADMINISTRATION:
IM injection



APPROPRIATE USE:

- ≥ 5 years to < 12 years
- Eligibility, intervals, and additional considerations: see QR code



BEYOND-USE EXPIRY DATE/TIME:

- **Check date on label** (expiry date)
- **Unpunctured:**
 - 2°C to 8°C: use vaccine within 10 weeks
 - 8°C to 25°C: puncture vial within 12 hours*
- *Vials can be returned to fridge; however, any time kept above 8°C needs to be tracked and cannot exceed 12 hours.
- **Punctured:** 2°C to 25°C: use vaccine within 12 hours of first puncture



HANDLING:

- **DO NOT DILUTE**
- Before use, invert vial gently 10 times to mix; do not shake
- Can be handled in room light conditions



APPEARANCE:

- Prior to inversion, may contain white to off-white opaque amorphous particles
- After inversion, should appear as white to off-white suspension
- NO particulate matter/discolouration



DOSE:

0.3 mL (10 mcg)

Number of doses and intervals vary based on previous vaccination, immune status, and living situation. See QR code for details.

REFERENCE:

- Comirnaty Omicron XBB.1.5. Product Monograph. BioNTech Manufacturing GmbH. Distributed by Pfizer Canada ULC, 2023. Accessed October 3, 2023. <https://covid-vaccine.canada.ca/info/pdf/comirnaty-omicron-xbb-1-5-pm-en.pdf>

Pfizer-BioNTech

COMIRNATY®

Omicron XBB.1.5

mRNA COVID-19 vaccine

≥ 5 years to < 12 years

DIN 02541858

Blue Cap, Blue Border



SUPPLIED:
multidose vial;
10 mcg/0.3 mL



PREPARATION:
ready-to-use;
DO NOT DILUTE



ADMINISTRATION:
IM injection



APPROPRIATE USE:

- ≥ 5 years to < 12 years
- Eligibility, intervals, and additional considerations: see QR code



BEYOND-USE EXPIRY DATE/TIME:

- **Check date on label** (expiry date)
- **Unpunctured:**
 - 2°C to 8°C: use vaccine within 10 weeks
 - 8°C to 25°C: puncture vial within 12 hours*
- *Vials can be returned to fridge; however, any time kept above 8°C needs to be tracked and cannot exceed 12 hours.
- **Punctured:** 2°C to 25°C: use vaccine within 12 hours of first puncture



HANDLING:

- **DO NOT DILUTE**
- Before use, invert vial gently 10 times to mix; do not shake
- Can be handled in room light conditions



APPEARANCE:

- Prior to inversion, may contain white to off-white opaque amorphous particles
- After inversion, should appear as white to off-white suspension
- NO particulate matter/discolouration



DOSE:

0.3 mL (10 mcg)

Number of doses and intervals vary based on previous vaccination, immune status, and living situation. See QR code for details.

REFERENCE:

- Comirnaty Omicron XBB.1.5. Product Monograph. BioNTech Manufacturing GmbH. Distributed by Pfizer Canada ULC, 2023. Accessed October 3, 2023. <https://covid-vaccine.canada.ca/info/pdf/comirnaty-omicron-xbb-1-5-pm-en.pdf>