

ENGERIX[®]-B

non-live (recombinant) hepatitis B vaccine

HB

≥20 years & 11 to 15 years

DIN 02487039



SUPPLIED:
prefilled syringe;
needle not
supplied



PREPARATION:
ready-to-use;
DO NOT DILUTE



ADMINISTRATION:
IM injection
(SUBQ only in special
circumstances, see monograph)



**APPROPRIATE
USE:**

- May be publicly funded in SK
- See QR code for recommendations for use.



CIG



**BEYOND-USE
EXPIRY
DATE/TIME:[^]**

- Check date on label (expiry date)
- 2°C to 8°C: use vaccine until expiry date.

[^] PM includes excursion data.



HANDLING:

- **SHAKE WELL** immediately before administration to re-suspend.



APPEARANCE:

- Slightly opaque, white suspension
- NO foreign particulate matter/discolouration



DOSE:

1 mL (20 mcg)*

* Individuals with chronic renal failure and some immunocompromising conditions require a higher dosage of HB antigen. See QR code for details.



SERIES/SCHEDULE:

PRIMARY SERIES:

≥20 years

Standard 3-dose: 0, 1, 6 months

Accelerated 4-dose: 0, 1, 2, 12 months

Rapid 4-dose: 4-dose: 0, 7 days, 21 days, 12 months

11 to 15 years

Alternative 2-dose: 0, 6 months

BOOSTER: May be required in some situations. See QR code for details.

REFERENCES:

- ENGERIX[®]-B product monograph
- Saskatchewan Immunization Manual: Chapter 10
- Canadian Immunization Guide: Hepatitis B vaccines
- medSask Hepatitis A and Hepatitis B vaccines
- CATMAT: Summary of recommendations for the prevention of viral hepatitis during travel

Financial contribution:



Public Health
Agency of Canada

Agence de la santé
publique du Canada