

TWINRIX®

non-live hepatitis A (inactivated) & hepatitis B (recombinant) vaccine

HAHB

≥19 years & 1* to 15 years

DIN 02230578



SUPPLIED:
prefilled syringe;
choice of two needles



PREPARATION:
ready-to-use;
DO NOT DILUTE



ADMINISTRATION:
IM injection



APPROPRIATE USE:

- Not publicly funded in SK
- See QR codes for recommendations for use.



CIG HAV



BEYOND-USE EXPIRY DATE/TIME:

- Check date on label (expiry date)
- 2°C to 8°C: use vaccine until expiry date.



CIG HBV



HANDLING:

- Shake the syringe vigorously for at least 15 seconds by tipping it upside down and back again.



APPEARANCE:

- Uniform hazy white suspension
- NO foreign particulate matter/ discolouration



DOSE:

- 1 mL (720 ELISA U HAV/20 mcg HBV)



SERIES/SCHEDULE:

PRIMARY SERIES:

≥ 19 years:

Standard: 3-dose: 0, 1, 6 months

Rapid: 4-dose: 0, 7 days, 21 days, 12 months

1* to 15 years:

Alternate: 2-dose: 0, 6 to 12 months

* Pharmacists can immunize those 5 years and older.

REFERENCES:

- [TWINRIX® product monograph](#)
- [Saskatchewan Immunization Manual Chapter 10](#)
- [Canadian Immunization Guide: HAV](#)
- [Canadian Immunization Guide: HBV](#)
- [CATMAT: Summary of recommendations for the prevention of viral hepatitis during travel](#)

Financial contribution:



Public Health
Agency of Canada

Agence de la santé
publique du Canada

25 MAR 2024

©2024 medSask // Townes & Park Designs